

CITY OF CANNON BEACH

NOTICE OF APPLICATION TO REMOVE TREES IN THE STREET RIGHT-OF-WAY OR PROPERTY OWNED BY THE CITY

The City of Cannon Beach has made an application for the removal of one (1) red alder (*Alnus rubra*) and the pruning of deadwood from another on property owned by the City. The affected trees are located within the City Right-of-Way (ROW) in the Downtown Parking Lot, at tax lot number 51019DD07100.

The request for tree removal is made based on Municipal Code Section 17.70.020 A, "Removal of a tree which poses a safety hazard." Municipal Code Section 17.70.030 I, Additional Requirements, states for tree removal requests of trees located in a street right-of-way, or on property owned by the city, property owners within one hundred feet of the tree(s) requested for removal shall be notified of the proposed action. The notification shall also be posted on the city's website, and on the bulletin board at City Hall, and at the Post Office. In making its decision on such a tree removal request, the city shall consider comments received within ten days of the date of the mailing of the property owner notification. To be considered, comments must address the tree removal criteria of Section 17.70.020.

Correspondence regarding this matter should be mailed to: City of Cannon Beach, Attention: Tessa Schutt, PO Box 368, Cannon Beach, OR 97110. Further information regarding this application is available at City Hall, 163 E. Gower Street, Cannon Beach, or by calling, (503) 436-8048.

DATE NOTICE MAILED: 01/03/23

cc: Mayor Barb Knop
Councilor Nancy McCarthy
Councilor Brandon Ogilvie
Councilor Gary Hayes
Councilor Lisa Kerr



City of Cannon Beach Right-of-Way/Property Owned by the City **Tree Removal Application**

Please fill out this f	orm completely. Please type	e or print.	
Applicant Name:	City of Cannon Beach		·
Mailing Address: _	P.O. Box 368, Cannon Beach, G	OR 97110	
Phone: (503) 436	-8048	Email: _	schutt@ci.cannon-beach.or.us
Abutting Property	Owner Name: EMG Inc.		
Mailing Address: _	PO Box 397, Cannon Beach, Ol	R 97110	
Phone:		Email: _	
Property Location	Downtown Parking Lot		Map/Tax Lot Number: 51019DD07400

The city shall issue a tree removal permit if one of the following criteria is met. Please circle the letter of the criteria that applies.

These criteria require a Tree Removal Report from an International Society of Arboriculture (ISA) Certified Arborist:

- You are constructing a structure or development approved and allowed by pursuant to Cannon Α. Beach Municipal Code 17.70.030, which involves any form of ground disturbance; including required vehicular and utility access. SEE ATTACHMENT A - Removing Trees Because of Construction.
- B. Removal of a tree for the health and vigor of surrounding trees.

These criteria require an ISA Tree Hazard Evaluation Form prepared by an ISA Certified Arborist: C.

The tree presents a safety hazard, where:

- The condition or location of the tree presents either a foreseeable danger to public safety, or a foreseeable danger of property damage to an existing structure; and,
- Such hazard or danger cannot reasonably be alleviated by pruning or treatment of the tree.
- D. The tree was damaged by storm, fire or other injury, which cannot be saved by pruning.

You must submit a tree removal permit with a reason if:

- The tree is dead.
- F. Tree removal is necessary to provide solar access to a solar energy system where pruning will not provide adequate solar access:
 - The city may require documentation that a device qualifies for Oregon Department of Energy Solar Tax Credit, or other incentive for installation of solar devices offered by a utility.
 - No tree measuring more than 24 inches in diameter shall be removed for solar access. 2.
- G. Tree removal is for landscaping purposes, subject to the following conditions:
 - The tree cannot exceed 10 inches in diameter.
 - 2. A landscape plan for the affected area must be submitted and approved by the City.
 - The landscape plan must incorporate replacement trees for the trees removed. The 3. replacement trees must be at least six feet in height or have a two-inch caliper; and,
 - 4. The City shall inspect the property one year after the approval of the permit to ensure the landscape plan has been implemented.

If your tree presents an immediate danger of collapse and if such potential collapse represents a clear and present hazard to persons or property, please contact the Community Development Director (CDD). If it is determined by the CDD that there is an immediate danger, then a tree removal permit is not required prior to tree removal. However, within seven days after the tree removal, the tree owner shall make application for an after-the-fact permit. Where a tree presents an immediate danger of collapse, a complete ISA Tree Hazard Evaluation Form prepared by a certified arborist is not required. Where a safety hazard exists, as defined by this subsection, the city may require the tree's removal. If the tree has not been removed after forty-eight hours, the city may remove the tree and charge the costs to the owner.

Last Edit: 9/27/19 Page 1 of 4 Attach a site plan showing the location and type of all trees on the property, including the trees to be removed. Indicate the location of replacement trees and the type. SEE ATTACHMENT B – Site Plan. Attach photos of the trees to be removed and mark the trees with ribbon.

Explain how the request meets one or more of the applicable criteria. Include the number and type of trees requested for removal. If appropriate, explain why pruning would not accomplish the same goal as tree removal.

Application fee: \$50.00 for 1-4 trees; \$100 for 5 or more trees
Note: The application fee is a nonrefundable fee that is due upon receipt of application, whether the removal request is approved or denied.
Municipal Code Section 17.70.030.I. For tree removal requests of trees located in a street right-of-way, or on property owned by the city, property owners within one hundred feet of the tree(s) requested for removal shall be notified of the proposed action. The notification shall also be posted on the city's website, and on the bulletin board at City Hall, and at the Post Office. In making its decision on such a tree removal request, the city shall consider comments received within ten days of the date of the mailing of the property owner notification. To be considered, comments must address the tree removal criteria of Section 17.70.020. Any person who has commented on the tree removal request shall be notified of the city's decision and may appeal that decision in accordance with subsection H.
Applicant Signature Trevor Mount Date: 01/03/2023
I understand, as the applicant signature, the cost of the tree removal and cleanup is my full responsibility and I am responsible if an approved tree removal permit is violated in any way. I must comply with all City requirements included with the approval, and I must notify the City 48-hours prior to the removal.

Date Notice Mailed: 01/03/2023 Date of 10-day waiting period: 01/13/2023
Comments Received: Yes □ No □ Application is: □ Approved □ Denied
$\hfill \Box$ Approved - Tree replacement required per Cannon Beach Municipal Code 17.70.040, Tree Replacement Policy.
☐ Approved with comments:
By: Date:
Decisions on the issuance of a tree removal permit may be appealed to the Planning Commission in accordance with Section 17.88.140 a, of the Municipal Code.

Last Edit: 9/27/19 Page 2 of 4



Treescapes Northwest Jeff Gerhardt, Consulting Arborist ISA Certified Arborist #PN-5541A

City of Cannon Beach, Public Works Department

Attn: Trevor Mount; Assistant Public Works Director mount@ci.cannon-beach.or.us

January 3, 2023

Hazard Tree Inspection - Downtown Parking Lot

Per your request, I evaluated the hazard potential of 2 trees located at the Downtown Parking Lot. After visually examining the trees and site, I recommend 1 tree be removed and 1 tree be retained. Please find the included site map, photograph, and ISA Tree Hazard Evaluation Form for reference.

Both trees are red alders (*Alnus rubra*) and are approximately 14" in DBH and 25' tall. The trees are located within parking islands in the Downtown Parking Lot. The tree in the southern parking island is rapidly declining and I recommend it be removed (painted with orange "X"). A similar looking alder is located in the parking island to the north and I recommend it be pruned to remove small deadwood. Consider replanting a tree at another site as planting space is limited here.

Best regards,

Jeff Gerhardt

Red dot indicates location of declining alder I recommend be removed



Alder in southern parking island I advise be removed for safety reasons



Map/Location:	Site/Address:Downtown Parking Lot (ROW)	HAZARD RATING:
Owner: public X private unknown other Pating Pating Unknown unknown other Pating Pating Unknown unknown other Pating Unknown unknown unknown other Pating Unknown unkn		3 + 2 + 4 = 9
Immediate action needed Needs further inspection Dead tree Needs further Needs further inspection Dead tree		
Needs further inspection Dead tree D		
TREE CHARACTERISTICS Tree #: 1	•	<u> </u>
Species: red alder DBH: 14" # of trunks: 1 Height: 25' Spread: 20'		Dead tree
	TREE CHARACTERISTICS	
Form: generally symmetric Minior asymmetry major asymmetry stump sprout stag-headed		
Crown class: dominant co-dominant x intermediate suppressed Live crown ratio: 30 % Age class: young x semi-mature mature over-mature/senescent Pruning history: crown cleaned excessively thinned topped crown raised pollarded crown reduced flush cuts cabled/braced none multiple pruning events Approx. dates: Special Value: specimen heritage/historic wildlife unusual street tree screen shade indigenous protected by gov. agen TREE HEALTH Foliage color: normal chlorotic necrotic Epicormics? N Growth obstructions: Foliage density: normal x sparse Leaf size: normal small stakes wire/ties signs cables Annual shoot growth: excellent average x poor Twig Dieback? Y N curt/pavement guards Woundwood development: excellent average x poor mone other Vigor class: excellent average fair x poor Major pests/diseases: SITE CONDITIONS Site Character: residence x commercial industrial park open space natural woodland/forest Landscape type: parkway x raised bed container mound lawn shrub border wind break Irrigation: x none adequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change line clearing site clearing % dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (20%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%) (2-25%)	DBH: $\frac{14"}{}$ # of trunks: $\frac{1}{}$ Height: $\frac{25'}{}$ Spread: $\frac{20'}{}$	PROBLEM TO THE PROPERTY OF THE
Pruning history: crown cleaned excessively thinned topped crown raised pollarded crown reduced flush cuts cabled/braced none multiple pruning events Approx. dates: Special Value: specimen heritage/historic wildlife unusual street tree screen shade indigenous protected by gov. agen TREE HEALTH Foliage color: normal chlorotic necrotic Epicormics? Y N Growth obstructions: Foliage density: normal Sparse Leaf size: normal small stakes wire/ties signs cables Annual shoot growth: excellent average Spoor none other during variage Spoor none other during variage Site Character: excellent average Spoor none other during variage Site Character: excellent average fair Spoor poor poor Structure wind break Irrigation: Site Character: excellence Commercial industrial park open space natural woodland/forest Landscape type: parkway Straised bed container mound lawn shrub border wind break Irrigation: Site clearing site clearing site clearing dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% Pavement lifted? Y N with problems: Strainage shallow Scoripacted droughty saline alkaline acidic small volume disease center history of fail clay expansive slope oaspect: Character: signts signage line-of-sight view overhead lines underground utilities traffic adjacent veg. Exposure to wind: single tree below canopy above canopy recently exposed windward, canopy edge Starea prone to windthrow	Form: □ generally symmetric ⊠ minor asymmetry □ major asymmetry □ stump spro	ut 🗆 stag-headed
Pruning history: crown cleaned excessively thinned topped crown raised pollarded crown reduced flush cuts cabled/braced none multiple pruning events Approx. dates: Special Value: specimen heritage/historic wildlife unusual street tree screen shade indigenous protected by gov. agen TREE HEALTH Foliage color: normal chlorotic necrotic Epicormics? Y N Growth obstructions: Foliage density: normal Sparse Leaf size: normal small stakes wire/ties signs cables Annual shoot growth: excellent average Spoor none other woundwood development: excellent average Spoor none other woundwood development: average fair Spoor SITE CONDITIONS SITE CONDITIONS SITE CONDITIONS Tripling a dequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change tine clearing site clearing wdripline paved: 0% (10-25%) 25-50% 50-75% 75-100% Pavement lifted? Y N wdripline grade lowered: 0% (10-25%) 25-50% 50-75% 75-100% Soil problems: drainage shallow compacted droughty saline alkaline acidic small volume disease center history of fail clay expansive slope aspect: clay expansive slope aspect: centry exposure to wind: single tree below canopy above canopy recently exposed windward, canopy edge Sarea prone to windthrow	Crown class: □ dominant □ co-dominant ☑ intermediate □ suppressed	
none multiple pruning events Approx. dates: Special Value: specimen heritage/historic wildlife unusual street tree screen shade indigenous protected by gov. agen	Live crown ratio:	ver-mature/senescent
Special Value: specimen heritage/historic wildlife unusual street tree screen shade indigenous protected by gov. agen	Pruning history: □ crown cleaned □ excessively thinned □ topped □ crown raised □ pollard	ded □ crown reduced □ flush cuts □ cabled/braced
TREE HEALTH Foliage color: normal chlorotic necrotic Epicormics? N Growth obstructions: Foliage density: normal Sparse Leaf size: normal small stakes wire/ties signs cables Annual shoot growth: excellent average Spoor Twig Dieback? N curb/pavement guards Woundwood development: excellent average Spoor none other Vigor class: excellent average fair Spoor Major pests/diseases: SITE CONDITIONS Site Character: residence Commercial industrial park open space natural woodland\forest Landscape type: parkway Taised bed container mound lawn shrub border wind break Irrigation: None adequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change line clearing site clearing % dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% % dripline w/ fill soil: 0% (10-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % of problems: drainage shallow		
Foliage color: normal chlorotic necrotic Epicormics? Y N Growth obstructions: Foliage density: normal Sparse Leaf size: normal small stakes wire/ties signs cables Annual shoot growth: excellent average Door Twig Dieback? Y N curb/pavement guards Woundwood development: excellent average Door none other Vigor class: excellent average fair Door Major pests/diseases: SITE CONDITIONS Site Character: residence Commercial industrial park open space natural woodland/forest Landscape type: parkway Taised bed container mound lawn shrub border wind break Irrigation: Anone adequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change line clearing site clearing % dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% % dripline grade lowered: 0% (0-25%) 25-50% 50-75% 75-100% % dripline grade lowered: 0% (0-25%) 25-50% 50-75% 75-100% Soil problems: Adrainage shallow Compacted droughty saline alkaline acidic small volume disease center history of fail	Special Value: □ specimen □ heritage/historic □ wildlife □ unusual □ street tree □ scree	en 🗆 shade 🗀 indigenous 🗀 protected by gov. agen
Site Character: residence Commercial industrial park open space natural woodland\forest Landscape type: parkway X raised bed container mound lawn shrub border wind break Irrigation: None adequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change line clearing site clearing % dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% % dripline w/ fill soil: 0% (10-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % of interpretation Soil problems: X drainage shallow Compacted droughty saline alkaline acidic small volume disease center history of fail	Foliage color: normal chlorotic necrotic Epicormics? N Grov	wth obstructions:
Site Character: residence Commercial industrial park open space natural woodland\forest Landscape type: parkway X raised bed container mound lawn shrub border wind break Irrigation: None adequate inadequate excessive trunk wettled Recent site disturbance? Y N construction soil disturbance grade change line clearing site clearing % dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% % dripline w/ fill soil: 0% (10-25%) 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: (1%) 10-25% 25-50% 50-75% 75-100% % of interpretation Soil problems: X drainage shallow Compacted droughty saline alkaline acidic small volume disease center history of fail	Foliage color:	with obstructions: stakes wire/ties signs cables surb/pavement guards other
Irrigation:	Foliage color:	with obstructions: stakes wire/ties signs cables surb/pavement guards other
	Foliage color:	wth obstructions: stakes
% dripline paved: 0% (0-25%) 25-50% 50-75% 75-100% Pavement lifted? Y N % dripline w/ fill soil: 0% (10-25%) 25-50% 50-75% 75-100% % dripline grade lowered: 01% 10-25% 25-50% 50-75% 75-100% Soil problems: ☑ drainage ☐ shallow ☑ compacted ☐ droughty ☐ saline ☐ alkaline ☐ acidic ☐ small volume ☐ disease center ☐ history of fail ☐ clay ☐ expansive ☐ slope ☐ ospect: ☐ ☐ Obstructions: ☐ lights ☐ signage ☐ line-of-sight ☐ view ☐ overhead lines ☐ underground utilities ☐ traffic ☐ adjacent veg. ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Foliage color:	wth obstructions: stakes wire/ties signs cables surb/pavement guards other
% dripline w/ fill soil: 0% 10-25% 25-50% 50-75% 75-100% % dripline grade lowered: 0% 10-25% 25-50% 50-75% 75-100% Soil problems:	Foliage color:	wth obstructions: stakes wire/ties signs cables surb/pavement guards other
% dripline grade lowered: 0% 10-25% 25-50% 50-75% 75-100% Soil problems:	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other stakes wire/ties signs cables curb/pavement guards
Soil problems:	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other stakes wire/ties signs cables curb/pavement guards other stakes wire/ties signs cables sub/pavement guards sub/pavement wire/ties wire/ties stakes wire/ties signs cables sub/pavement guards
□ clay □ expansive □ slope □ aspect: □ Obstructions: □ lights □ signage □ line-of-sight □ view □ overhead lines □ underground utilities □ traffic □ adjacent veg. □ Exposure to wind: □ single tree □ below canopy □ above canopy □ recently exposed □ windward, canopy edge ☑ area prone to windthrow	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other stakes wire/ties signs cables curb/pavement guards other stakes wire/ties signs cables sub/pavement guards sub/pavement wire/ties wire/ties stakes wire/ties signs cables sub/pavement guards
Obstructions: □ lights □ signage □ line-of-sight □ view □ overhead lines □ underground utilities □ traffic □ adjacent veg. □ Exposure to wind: □ single tree □ below canopy □ above canopy □ recently exposed □ windward, canopy edge ☑ area prone to windthrow	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other Inatural woodland/forest ub border wind break line clearing site clearing avement lifted? Y (N)
Exposure to wind: 🗆 single tree 🗎 below canopy 🗀 above canopy 🗀 recently exposed 🗀 windward, canopy edge 🗵 area prone to windthrow	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other Inatural woodland/forest ub border wind break line clearing site clearing avement lifted? Y (N)
	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other
	Foliage color:	with obstructions: stakes wire/ties signs cables curb/pavement guards other

Occupancy: \square occasional use \square intermittent use \square frequent use \boxtimes constant use

The International Society of Arboriculture assumes no responsibility for conclusions or recommendations derived from use of this form.

P.O. Box 52 Manzanita, OR 97130 CCB# 236534 Cell: 503-453-5571 www.treescapesnorthwest.com

ROOT DEFECTS: Suspect root rot: Y N M	lushroom/conk/bracket preser	nt: Y (N) I D:		
Exposed roots: severe		Undermined: □ severe		
Root pruned: distar	nce from trunk Root area	affected: %	Buttress wounded: Y (N) WI	nen:
Restricted root area: 🗵 seve		Potential for root failu	•	
				IOW
Decay in plane of lean: Y	ertical ⊠ natural □ unnal Roots broken Y N	Soil cracking: Y N		
compounding factors:			Lean severity: 🗌 seve	re 🗆 moderate 🗵 low
CROWN DEFECTS: Indicate pro	esence of individual defects and	d rate their severity (s = se	evere, m = moderate, I = low)	
DEFECT	ROOT CROWN	TRUNK	SCAFFOLDS	BRANCHES
Poor taper				
Bow, sweep				
Codominants/forks		* • •		4
Multiple attachments				
Included bark				
Excessive end weight Cracks/splits		s		
Hangers		3		m
Girdling				
Wounds/seam				119 11 11 11 11
Decay		S	***	
Cavity				
Conks/mushrooms/bracket				1 2 2
Bleeding/sap flow				
Loose/cracked bark		S		
Nesting hole/bee hive				
Deadwood/stubs				1.40
Borers/termites/ants		<u> </u>		
Cankers/galls/burls Previous failure				
				<u> </u>
	os or entire tree			- medium; 3 - high; 4 - severe
nspection period:	annual biannual	other	Size of part: 1 - <6" (15 cm	
ailure Potential + Size of Part +	Target Rating = Hazard Rating		3 - 18-30" (45 Target rating: 1 - occasiona	-75 cm); 4 - >30" (75 cm)
3 + 2 +	4 = 9			use; 2 intermittent use; use; 4 - constant use
HAZARD ABATEMENT			о - поциона	aoo, -r - oondant tide
rune:	part 🗌 reduce end weight 🛭	crown clean 🗆 thin	□ raise canopy □ crown reduce	□ restructure □ shape
able/Brace:	·		Inspect further: root crown i	☐ decay ☐ aerial ☐ monitor
temove tree: (Y) N Rep	lace? (Y) N Move target	t: Y (N) Other:		
•	•		and the state of the state of	
ffect on adjacent trees:	none 🗀 evaluate			
lotification: 🗆 owner 🗆 m	nanager 🗵 governing agency	Date: 1/2023		<u>.</u>
COMMENTS				
See report				
000.000.1				
Состорон				

P.O. Box 52 Manzanita, OR 97130